

VHT013

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

1.1 Product Name

VHT013 – Clear Double Coated Tape

1.2 Supplier Information

Premier Sealant Systems Ltd., Mercia Way, Foxhills Industrial Park, Scunthorpe, North Lincolnshire, DN15 8RE

T: 01724 864 100

2. POSSIBLE DANGERS

Not classified as dangerous according to EC directives, not relevant.

3. COMPOSITION: INFORMATION ON INGREDIENTS

Composition: General	Support: Non-woven, 12 g/m ²
Components:	Interliner: Release paper, yellow, 90 g/m ²
	Adhesive: Modified polyacrylic

4. FIRST AID MEASURES

After Inhalation: Not relevant	After contact with the eyes: Not relevant
After Contact with Skin: Not relevant	After swallowing: Not relevant

5. FIRE-FIGHTING MEASURES

Appropriate extinguishing agents: Spraying water, dry extinguishing agent, foam.

6. MEASURES IN CASE OF UNINTENDED RELEASE

Not applicable.

Premier Sealant Systems Ltd.

T 01724 864 100 | E sales@premseal.co.uk | www.premseal.co.uk

Mercia Way, Foxhills Industrial Park, Scunthorpe, DN15 8RE

Registered Office: 19 Titan Court, Luton, LU4 8LL | Registered in Cardiff No. 3000843

7. HANDLING AND STORAGE

Storage

The products should be stored in their original packaging under dry conditions, ideally at room temperature but not warmer than 30oC. High relative humidity and direct sunlight must be avoided at all costs. Generally the cooler the product is stored the better the product quality.

8. EXPOSURE LIMITATION AND PERSONAL PROTECTION

Breathing Apparatus:	Not necessary	Protection for the eyes:	Not necessary
Gloves Necessary:	Not necessary	Protection for the body:	Not necessary

9. PHYSICAL AND CHEMICAL PROPERTIES

General Specification

Shape:	Logs 3" core
Colour:	Transparent
Odour:	Typical
Density:	0,8 – 1,0 g/cm ³

Important information on health protection, environmental protection and safety.

10. STABILITY AND REACTIVITY

Dangerous reactions:	Not relevant
Dangerous decomposition processes:	Not relevant

11. TOXICOLOGY

Acute toxicity:	
LD50 Oral:	Not relevant
LD50 Dermal	Not relevant

Premier Sealant Systems Ltd.

T 01724 864 100 | E sales@premseal.co.uk | www.premseal.co.uk

Mercia Way, Foxhills Industrial Park, Scunthorpe, DN15 8RE

Registered Office: 19 Titan Court, Luton, LU4 8LL | Registered in Cardiff No. 3000843

12. ECOLOGY

Adhesive, support and interliner are almost completely without solvents, chlorides and heavy metals. Therefore, special disposal measures are not necessary.

The product is not considered to be environmentally dangerous.

13. INFORMATION ON DISPOSAL

Small quantities	Household garbage.
Larger quantities	Industrial waste.
Disposal	Can be disposed of in a suitable rubbish tip or incineration plant in accordance with local authority regulations.
EAKV key for unused product	200139 (Plastic small parts).
Thermal recycling with simplified recycling certificate	If the product contains PVC parts (see above point 2: support), thermal recycling must be clarified with the local recycling agency.

14. REMARKS ON TRANSPORT

Not a hazardous material in the sense of transport regulations.

15. REGULATIONS

R-Phrases	Not relevant
S-Phrases	Not relevant
TA air class	Not subject to TA air

Not subject to the regulations on flammable liquids. This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Premier Sealant Systems Ltd.

T 01724 864 100 | E sales@premseal.co.uk | www.premseal.co.uk

Mercia Way, Foxhills Industrial Park, Scunthorpe, DN15 8RE

Registered Office: 19 Titan Court, Luton, LU4 8LL | Registered in Cardiff No. 3000843